

ZEMPER
EMERGENCY LIGHTING



FLOODLIGHTS



MAXILUM

High performance LED Floodlight.




REFERENCES

Lm	Type	Dur.	Battery	Standard	Self-Test	Wireless
1500	NM	1	PB12V-9A/h	PME1500BC		
1500	NM	3	PB12V-9A/h	PME1500BC3		
1500	NM	1	12V / 4Ah Ni-Cd	PME1500C		
1500	NM	3	12V / 7Ah Ni-Cd	PME1500C3		
1500	NM	1	12,8V / 3Ah LFP		PME1500LX	PME1500LDW
1500	NM	3	2 x 12,8V / 3Ah LFP		PME1500LX3	PME1500LD3W
3250	NM	1	PB12V-9A/h	PME3000BC		
3250	NM	1	12V / 7Ah Ni-Cd	PME3000C		
3300	NM	1	2 x 12,8V / 3Ah LFP		PME3000LX	PME3000LDW

*NM: Non maintained. The luminaire operates from the emergency supply only upon failure of the normal mains supply.

DIMENSIONS



PFL

High performance LED Floodlight.




REFERENCES

Lm	Type	Dur.	Battery	Standard	Self-Test	Wireless
1500	NM	1	12V / 4 Ah Ni-Cd	PFL1500C		
1500	NM	1	12,8V / 3Ah LFP		PFL1500LX	PFL1500LDW

*NM: Non maintained. The luminaire operates from the emergency supply only upon failure of the normal mains supply.

DIMENSIONS



ZEMPER

Avda. de la Ciencia s/n · Pol. Industrial Avanzado
13005 Ciudad Real (España)

Tel. +34 902 11 11 97 · Fax +34 902 22 22 97
export@zemper.com

www.zemper.com